Coping with Challenges - Getting Enough Sleep

It can be challenging to get enough sleep. Here are some common challenges and coping strategies. Write your own ideas in the column that says "Other Ways to Cope." Check off each idea you try.

Challenge	Ways to Cope	Other Ways to Cope
I stay up too late getting things done.	 □ Plan ahead so that you finish earlier. □ Ask family and friends to help you get things done. □ Save some tasks for another day. □ Make a list of things to do the next day. Then set it aside. □ Set a timer as a reminder to begin getting ready for bed. 	
I'm too hot or too cold.	 □ Turn the heat up or down. ○ Or open a window. □ Dress for the weather. □ Choose the right bedding - add an extra blanket or choose a thinner sheet. □ Take a warm or cool bath or shower. 	
My bed partner is restless, breathes loudly, or snores.	 □ Sleep in separate rooms. □ Ask your partner to sleep on their side or stomach. □ Ask your partner to get help from their healthcare provider. 	



Coping with Challenges - Getting Enough Sleep

Challenge	Ways to Cope	Other Ways to Cope
There's too much noise.	 □ Use earplugs. □ Turn on a fan, white noise machine, or radio tuned to static to drown out the noise. Or use a smartphone app that plays white noise or nature sounds. □ Shut the doors and windows. □ Ask people to be quiet. 	
There's too much light.	☐ Get room-darkening blinds or shades.☐ Wear a sleep mask.	
I can't get comfortable.	 □ Stretch. □ If possible, get a bed, mattress, and pillow that you like. □ If you cannot fall asleep after trying for 20 minutes, get up and do something relaxing. Then try again. 	
I'm thirsty.	 □ Make sure you're drinking water consistently throughout the day. □ Have your last glass of water for the day at least 90 minutes before bedtime. □ If you must drink at bedtime, have just a sip. 	



Coping with Challenges - Getting Enough Sleep

Challenge	Ways to Cope	Other Ways to Cope
I feel anxious or alert at bedtime.	During the day: ☐ Get up at the same time each day. This helps your body get on a schedule. ☐ Avoid caffeine. ☐ If you smoke, quit. ☐ Avoid naps. Or keep them very short (30 minutes or less). ☐ Be active during the day, but avoid strenuous activity 2-3 hours before bedtime. ☐ Manage stress. ☐ Ask your healthcare provider if your medicines are keeping you awake. A couple of hours before bedtime: ☐ Avoid using a computer, cell phone, or TV. The light can make your brain think it's time to be awake. ☐ Avoid working or being very active. ☐ Follow a bedtime routine that helps you wind down. At bedtime: ☐ Go to bed at the same time each day. This helps your body get on a	
	schedule. Don't pressure yourself to fall asleep. Keep clocks and watches out of sight so you don't think about time passing. If you don't think you will fall asleep soon, get out of bed. Do something relaxing for a while.	

